MA# 005 CT2956MVIS 1

EFFECTIVE BEGIN DATE: 08-26-2005 **EXPIRATION DATE:** 08-31-2006

PAGE: 1 of 4

Fields of Opportunities

BUYER: ASHLEY SUPER

ashley.super@iowa.gov

VENDOR CONTACT:

515-281-7073

FOB Dest, Freight Prepaid

PAYMENT TERMS (%): DAYS:

VENDOR:

INFORMATION SUPPORT 714 N Watson Rd Ste 302

Jack Burlin

PHONE: 817-649-1788 EXT:

EMAIL: jackburlin@iscdfw.com **VENDOR #:** 75215796600

Arlington, TX 76011 USA

DESCRIPTION OF ITEMS CONTRACTED

Computer Racks per Bid BD80500S363 attached. THIS MA DOCUMENT FOR PAYMENT PURPOSES ONLY SEE ACTUAL SIGNED CONTRACT ATTACHED.

RENEWAL PERIODS

FROM 09-01-2006 TO 08-31-2007 FROM 09-01-2007 TO 08-31-2008 FROM 09-01-2008 TO 08-31-2009 FROM 09-01-2009 TO 08-31-2010 FROM 09-01-2010 TO 08-31-2011

THRESHOLDS

MINIMUM ORDER AMOUNT: **MAXIMUM ORDER AMOUNT: NOT TO EXCEED AMOUNT:**

AUTHORIZED DEPARTMENT

ALL

SUB Political Sub-divisions

	TOTAL \$0.00	
VENDOR:	THIS MA IS SUBJECT TO THE TERMS AND CONDITIONS ATTACHED HERETO.	_
APPROVED BY:	PLEASE SEE ATTACHMENTS FOR FURTHER DESCRIPTIONS.	



MA# 005 CT2956MVIS 1

EFFECTIVE BEGIN DATE: 08-26-2005 EXPIRATION DATE: 08-31-2006

PAGE: 2 of 4

 LINE NO.
 QUANTITY / SERVICE DATES UNIT
 COMMODITY / DESCRIPTION
 UNIT COST / PRICE OF SERVICE

 1
 0.00000
 2046459
 \$0.000000

 \$0.000000
 \$0.000000

RACKS, COMPUTER EQUIPMENT



MA# 005 CT2956MVIS 1

 EFFECTIVE BEGIN DATE:
 08-26-2005

 EXPIRATION DATE:
 08-31-2006

PAGE: 3 of 4

TERMS AND CONDITIONS

Incorporation

The Request for Proposal and/or bid documents for this project and the vendor's proposal in response to the RFP or Bid together with any clarifications, attachments, appendices, or amendments of the State or the Vendor are incorporated into this Contract by reference as if fully set forth in this Contract.

Remedies upon Default

In any case where the vendor has failed to deliver or has delivered non-conforming goods and/or services, the State shall provide a cure notice. The notice to cure shall state the maximum length of time the vendor has to cure. If after the time period stated in the notice to cure has passed, the vendor continues to be in default, the State may procure goods and/or services in substitution from another source and charge the difference between the contracted price and the market price to the defaulting vendor. The State's Attorney General shall be requested to make collection from the defaulting vendor.

Force Majeure

Force majeure includes acts of God, war, civil disturbance and any other causes which are beyond the control and anticipation of the party affected and which, by the exercise of reasonable diligence, the party was unable to anticipate or prevent. These provisions of force majeure also apply to subcontractors or suppliers of the Vendor. Force majeure does not include financial difficulties of the Vendor or any associated company of the Vendor, or claims or court orders that restrict the Vendor's ability to deliver the goods or services contemplated by this Agreement. Neither the Vendor nor the State shall be liable to the other for any delay or failure of performance of this Agreement caused by a force majeure, and not as a result of the fault or negligence of a party.

Subcontractors

The successful vendor shall be responsible for all acts and performance of any subcontractor or secondary supplier that the successful vendor may engage for the completion of any contract with the State. A delay that results from a subcontractor's conduct, negligence or failure to perform shall not exempt the vendor from default remedies. The successful vendor shall be responsible for payment to all subcontractors and all other third parties.

Termination-Non-Appropriation

Notwithstanding any other provision of this contract, if funds anticipated for the continued fulfillment of this contract are at any time not forthcoming or insufficient, either through the failure of the State to appropriate funds, discontinuance or material alteration of the program for which funds were provided, then the State shall have the right to terminate this contract without penalty by giving not less than thirty (30) days written notice documenting the lack of funding, discontinuance or program alteration.

Immunity of State/Fed Agencies

The vendor shall defend and hold harmless the State and Federal funding source for the State of Iowa from liability arising from the vendor's performance of this contract and the vendor's activities with subcontracted and all other third parties.

Assignment

Vendors may not assign contracts or purchase orders to any party (including financial institutions) without written permission of the General Services Enterprise - Purchasing.

Anti-Trust Assignment

For good cause and as consideration for executing this purchase order, the vendor, through its duly authorized agent, conveys, sells, assigns, and transfers to the State of Iowa all rights, title and interest in and to all causes of action it may now or hereafter acquire under the anti-trust laws of the United States and the State of Iowa, relating to the particular goods or services purchased or acquired by the State of Iowa pursuant to the using State of Iowa agency.

Delivery and Acceptance

When an award has been made to a vendor and the purchase order issued, deliveries are to be made in the following manner.

- A. Deliveries All deliveries are to be made only to the point specified on the purchase order. If delivery is made to any other point, it shall be the responsibility of the vendor to promptly reship to the correct location. Failure to deliver procured goods on time may result in cancellation of an order or termination of a contract at the option of the State.
- B. Delivery Charges All delivery charges should be to the account of the vendor whenever possible. If not, all delivery charges should be prepaid by vendor and added to the invoice.
- C. Notice of Rejection The nature of any rejections of a shipment, based on apparent deficiencies disclosed by ordinary methods of inspection, will be given by the receiving agency to the vendor and carrier within a reasonable time after delivery of the item, with a copy of this notice to the General Services Enterprise Purchasing. Notice of latent deficiencies which would make items unsatisfactory for the purpose intended may be given by the State of Iowa at any time after acceptance.

Delivery and Acceptance (cont)

- D. Disposition of Rejected item The vendor must remove at the vendor's expense any item rejected by the State. If the vendor fails to remove that rejected item, the State may dispose of the item by offering the same for sale, deduct any accrued expense and remit the balance to the vendor.
- E. Testing After Delivery Laboratory analysis of an item or other means of testing may be required after delivery. In such cases, vendors will be notified in writing that a special test is being made and that payment will be withheld until completion of the testing process.

Title to Goods

The vendor warrants that the goods purchased hereunder are free from all liens, claims or encumbrances.

Indemnification

To the extent that goods are not manufactured in accordance with the State's design, the vendor shall defend, indemnify and hold harmless the State of Iowa, the State's assignees, and other users of the goods from and against any claim of infringement of any Letter Patent, Trade Names, Trademark, Copyright or Trade Secrets by reason of sale or use of any articles purchased hereunder. The State shall promptly notify the vendor of any such claim.

Nondiscrimination

The vendor is subject to and must comply with all federal and state requirements concerning fair employment and will not discriminate between or among them by reason of race, color, religion, sex, national origin or physical handicap.

Warranty

The vendor expressly warrants that all goods supplied shall be merchantable in accordance with the Uniform Commercial Code, Section 2-314 and the Iowa Code, Section 554.2314.

Taxes



MA# 005 CT2956MVIS 1

EFFECTIVE BEGIN DATE: 08-26-2005 EXPIRATION DATE: 08-31-2006

PAGE: 4 of 4

The State of lowa is exempt from the payment of lowa sales tax, motor vehicle fuel tax and any other lowa tax that may be applied to a specified commodity and/or service. Contractors performing construction activities are required to pay state sales tax on the cost of materials. The lowa Department of Revenue exemption letter will be furnished to a vendor upon request.

Hazardous Material

All packaging, transportation, and handling of hazardous materials shall be in accordance with applicable federal and state regulations including, but not limited to, the Material Safety Data Sheet provision of O.S.H.A. Hazard Communication Standard 29CFR 1910.1200, and Iowa Administrative Code, Chapter 567.

Public Records

The laws of the State of lowa require procurement records to be made public unless exempted by the Code of lowa.

Miscellaneous

The terms and provisions of this contract shall be construed in accordance with the laws of the State of Iowa. Any and all litigation or actions commenced in connection with this contract shall be brought in Des Moines, Iowa, in Polk County District Court for the State of Iowa. If however, jurisdiction is not proper in Polk County District Court, the action shall only be brought in the United States District Court for the Southern District or Iowa, Central Division, providing that jurisdiction is proper in that forum. This provision shall not be construed as waiving any immunity to suit or liability, which may be available to the State of Iowa.

If any provision of this contract is held to be invalid or unenforceable, the remainder shall be valid and enforceable.

Records Retention

The vendor shall maintain books, records, and documents which sufficiently and properly document and calculate all charges billed to the State of lowa throughout the term of this Agreement for a period of at least five (5) years following the date of final payment or completion of any required audit, whichever is later. The vendor shall at, no charge, permit the Auditor of the State of lowa, or any authorized representative of the State (or where federal funds are involved, the Comptroller General of the United States or any other authorized representative of the United States government) to access and examine, audit, excerpt and transcribe any directly pertinent books, documents, papers, electronic or optically stored and created records, or other records of the vendor relating to orders, invoices, or payments documentation or materials pertaining to this Agreement.

Independent Contractor

The vendor is an independent contractor performing services for the State of Iowa, and as such shall not hold itself out as an employee or agent of the State.

Performance Monitoring

For all service contracts, the requirements of lowa Code sections 8.47 shall be incorporated into final terms and conditions of the contract.

N60

NET 60 DAYS



Department of Administrative Services General Services Enterprise

Date: September 16, 2005

1305 East Walnut Street Hoover State Office Building, Level A Des Moines, IA 50319-0105

CONTRACT AGREEMENT No. CT2956MVIS

SHORT FORM CONTRACT

Vendor 5 General Contract available

714 N. Watson Rd, Ste 302 to all State Agencies and Arlington, TX 76011 political subdivisions.

CONTRACT PERIOD - Effective 10-03-05 Terminates 09-30-06

DESCRIPTION OF ITEMS CONTRACTED

Contract for COMPUTER RACKS AND ACCESSORIES AS LISTED BELOW pursuant to the specifications, terms and conditions of Bid No. BD805008363 dated 07-15-2005 and vendor's proposal on file with The Department of Administrative Services, GSE Purchasing, Hoover Building, Level A, Des Moines, Iowa 50319-0105. This contact may be mutually renewed on an annual basis pending satisfactory contractor performance and price stability. Total contract term can not exceed six years.

This contract does not guarantee the contractor any certain volume of sales.

Invoice prices can not exceed those stated unless the contract is formally amended to adjust stated prices for changes in shipping costs.

OPTIONS FOR ABOVE:

Steel lacing or mounting straps PCMC73-V-2 (set of 2)	\$	125.00	EA
Power strips, 70" Vertical P87015	Ş	120.00	EA
Sliding Shelf 19" X 27" with mounting hardware SS1927	\$	125.00	EA
Front or Rear Keyed Door, Perforated PPD7319	\$	215.00	EA
Front or Rear Keyed Door, Solid PD7319	Ş	165.00	EA
Side panel, Perforated (Set of 2) PPSP7336QR-L	Ş	460.00	EA
Side panel, Solid, (Set of 2) PSF7336QR-L	\$	220.00	EA
Roof-mounted fan tray (incl. 2 fans) PFTF1926-2105	\$	145.00	EA
Grounding strap or bus bar PBB73	\$	1,60.00	EA
Stabilizing or anti-tip plate PATP-19	\$	40.00	EA

TERMS AND CONDITIONS INCLUDE:

A. PRICES ARE FOB DESTINATION anywhere within Iowa, ship point to final location, unwrapping, and dobrie removal and all shipping and headling costs included. All delivery charges shall be to the account of the vendor whenever possible. If not, all delivery charges shall be reimbursed to the State of Iowa.

FSC prices did not melade unwrapping, Debis removal or handing. Only shipping costs.

Page 1 of 4

- B. REMEDIES UPON DEFAULT In any case where the vendor has failed to deliver or has delivered non-conforming goods and/or services, the State shall provide a cure notice. The notice to cure shall state the maximum length of time the vendor has to cure. If after the time period stated in the notice to cure has passed, the vendor continues to be in default, the State may procure goods and/or services in substitution from another source and charge the difference between the contracted price and the market price to the defaulting vendor. The State's Attorney General shall be requested to make collection from the defaulting vendor.
- C. FORCE MAJEURE Force majeure includes acts of God, war, civil disturbance and any other causes which are beyond the control and anticipation of the party affected and which, by the exercise of reasonable diligence, the party was unable to anticipate or prevent. These provisions of force majeure also apply to subcontractors or suppliers of the Vendor. Force majeure does not include financial difficulties of the Vendor or any associated company of the Vendor, or claims or court orders that restrict the Vendor's ability to deliver the goods or services contemplated by this Agreement. Neither the Vendor nor the State shall be liable to the other for any delay or failure of performance of this Agreement caused by a force majeure, and not as a result of the fault or negligence of a party.
- D. SUBCONTRACTORS The successful vendor shall be responsible for all acts and performance of any subcontractor or secondary supplier that the successful vendor may engage for the completion of any contract with the State. A delay that results from a subcontractor's conduct, negligence or failure to perform shall not exempt the vendor from default remedies. The successful vendor shall be responsible for payment to all subcontractors and all other third parties.
- E. TERMINATION-NON-APPROPRIATION Notwithstanding any other provision of this contract, if funds anticipated for the continued fulfillment of this contract are at any time not forthcoming or insufficient, either through the failure of the State to appropriate funds, discontinuance or material alteration of the program for which funds were provided, then the State shall have the right to terminate this contract without penalty by giving not less than thirty (30) days written notice documenting the lack of funding, discontinuance or program alteration.
- F. IMMUNITY OF STATE/FED AGENCIES The vendor shall defend and hold harmless the State and Federal funding source for the State of Iowa from liability arising from the vendor's performance of this contract and the vendor's activities with subcontracted and all other third parties.
- G. ASSIGNMENT Vendors may not assign contracts or purchase orders to any party (including financial institutions) without written permission of the General Services Enterprise - Purchasing.
- H. ANTI-TRUST ASSIGNMENT For good cause and as consideration for executing this purchase order, the vendor, through its duly authorized agent, conveys, sells, assigns, and transfers to the State of Iowa all rights, title and interest in and to all causes of action it may now or hereafter acquire under the anti-trust laws of the United States and the State of Iowa, relating to the particular goods or services purchased or acquired by the State of Iowa pursuant to the using State of Iowa agency.
- I. DELIVERY All deliveries are to be made only to the point specified on the purchase order. If delivery is made to any other point, it shall be the responsibility of the vendor to promptly reship to the correct location. Failure to deliver procured goods on time may result in cancellation of an order or termination of a contract at the option of the State.

J. DELIVERY CHARGES - All delivery charges shall be to the account of the vendor whenever possible. If not, all delivery charges shall be reimbursed to the State of Iowa.

__ . _ . _ _ . _ _

- K. NOTICE OF REJECTION The nature of any rejections of a shipment, based on apparent deficiencies disclosed by ordinary methods of inspection, will be given by the receiving agency to the vendor and carrier within a reasonable time after delivery of the item, with a copy of this notice to the General Services Enterprise Purchasing. Notice of latent deficiencies which would make items unsatisfactory for the purpose intended may be given by the State of Iowa at any time after acceptance.
- L. DISPOSITION OF REJECTED ITEM The vendor must remove at the vendor's expense any item rejected by the State. If the vendor fails to remove that rejected item, the State may dispose of the item by offering the same for sale, deduct any accrued expense and remit the balance to the vendor.
- M. TESTING AFTER DELIVERY Laboratory analysis of an item or other means of testing may be required after delivery. In such cases, vendors will be notified in writing that a special test is being made and that payment will be withheld until completion of the testing process.
- N. TITLE TO GOODS The vendor warrants that the goods purchased hereunder are free from all liens, claims or encumbrances. Title to goods and Risk of loss/damage transfers from seller to buyer after delivery and the acceptance by buyer.
- O. INDEMNIFICATION To the extent that goods are not manufactured in accordance with the State's design, the vendor shall defend, indemnify and hold harmless the State of Iowa, the State's assigness, and other users of the goods from and against any claim of infringement of any Letter Patent, Trade Names, Trademark, Copyright or Trade Secrets by reason of sale or use of any articles purchased hereunder. The State shall promptly notify the vendor of any such
- p. NONDISCRIMINATION The vendor is subject to and must comply with all federal and state requirements concerning fair employment and will not discriminate between or among them by reason of race, color, religion, sex, national origin or physical handicap.
- Q. WARRANTY The vendor expressly warrants that all goods supplied shall be merchantable in accordance with the Uniform Commercial Code, Section 2-314 and the Iowa Code, Section 554.2314. ALL PRODUCT CARRIES FULL USA OEM WARRANTY
- R. TAXES The state of lows is exempt from the payment of Iows sales tax, motor vehicle fuel tax and any other Iows tax that may be applied to a specified commodity and/or service. Contractors performing construction activities are required to pay state sales tax on the cost of materials. The Iows Department of Revenue exemption letter will be furnished to a vendor upon request.
- S. HAZARDOUS MATERIAL All packaging, transportation, and handling of hazardous materials shall be in accordance with applicable federal and state regulations including, but not limited to, the Material Safety Data Sheet provision of O.S.H.A. Hazard Communication Standard 29CFR 1910.1200, and Iowa Administrative Code, Chapter 567.
- T. PUBLIC RECORDS The laws of the State of Iowa require procurement records to be made public unless exempted by the Code of Iowa.
- U. JURISDICTION The terms and provisions of this contract shall be construed in accordance with the laws of the State of Iowa. Any and all litigation or actions commenced in connection with this contract shall be brought in Des Moines, Iowa, in Polk County District Court

for the State of Iowa. If however, jurisdiction is not proper in Polk County District Court, the action shall only be brought in the United States District Court for the Southern District or Iowa, Central Division, providing that jurisdiction is proper in that forum. This provision shall not be construed as waiving any immunity to suit or liability, which may be available to the State of Iowa. If any provision of this contract is held to be invalid or unenforceable, the remainder shall be valid and enforceable.

Annu Conni Competenti

- The vendor shall maintain books, records, and V. RECORDS RETENTION documents which sufficiently and properly document and calculate all charges billed to the State of Iowa throughout the term of this Agreement for a period of at least five (5) years following the date of final payment or completion of any required audit, whichever is later. The vendor shall at, no charge, permit the Auditor of the State of Iowa, or any authorized representative of the State (or where federal funds are involved, the Comptroller General of the United States or any other authorized representative of the United States government) to scoess and examine, audit, excerpt and transcribe any directly pertinent books, documents, papers, electronic or optically stored and created records, or other records of the vendor relating to orders, invoices, or payments documentation or materials pertaining to this Agreement.
- W, INDEPENDENT CONTRACTOR The vendor is an independent contractor performing services for the State of Lowa, and as such shall not hold itself out as an employee or agent of the State.
- X. PAYMENTS Payments via EFT is acceptable. 医胆能性腹膜 李明明神 医甲基对性 了!!!!!你这么好,我就是我会看到你们,没有了!

DESTINATION FOB POINT N60 days PAYMENT TERMS: Jack Burlin 817-649-1788 VENDOR CONTACT: VENDOR PHONE: 817-649-1788 VENDOR FAX:

jackburlin@iscdfw.com VENDOR EMAIL:

VENDOR I.D. NO.: 75215796600

PURCHASING CONTACT: Ashley Super PURCHASING PHONE: 515-281-7073 515-242-5974 PURCHASING FAX:

ashley.super@iowa.gov PURCHASING EMAIL:

UNIT COST UNIT / DESCRIPTION COMMODITY

0.000000 See Above

Purchase Orders to show reference to above Contract Number

IN WITNESS WHEREOF, the parties have executed this agreement as of the date of signature by State of Iowa below.

For STATE OF IOWA:

FOR INFORMATION SUPPORT CONCEPTS:

Name: Robin Hunt

Title:

Ashley Super, PA III Department of Admin Services

Signature

1 1 1 g

Signature

Date



714 N. Watson Road • Suite 302 • Arlington, TX 76011 • 1-800-458-6255 • 817-649-1788 • Fax 817-649-1770 • WWW.ISCDFW.COM • E-Mail: isc@iscdfw.com

Ashley Super, PAIII Iowa Department of Administrative Services, GSE Hoover State Office Building, Level A Des Moines, IA 50319

Subject: Sealed Bid # BD80500S363

Information Support Concepts, Inc. is pleased to offer an all steel cabinet manufactured by Martin International Enclosures (see attached brochure) as one possible solution to bid #BD80500S363. Most of the Martin cabinets use a patented aluminum extrusion for the frame. However, this cabinet being proposed is all steel, and specifically designed to meet the requirements laid out in the bid document.

The frame is part number P731936-4L and is a 42U frame with 36.75 inches of usable mounting depth. The frame and mounting rails are constructed of 14GA steel. The 19 inch EIA mounting rails are reversible so that depending on the configuration, they can present either 3/8" square holes for cage nuts, or 10/32 tapped holes for screws. The rails have U space markings. The style of the base is floormount with four leveling feet installed. There is one primary grounding stud (1/4-20) in the bottom rear corner of the frame, and an additional five secondary grounding studs (10/32) at various locations around the base of the cabinet frame. The frame is rated for 1800 pounds, evenly distributed, and is supplied with joining kit hardware and rack mount hardware (50 pieces). The price for one frame, FOB destination, is \$680.00

The door part number is PPD7319, which is valid for both the front and rear doors. This is a perforated steel door, with locking swing handle. It is reversible in the field with lift off hinges, and is keyed the same as the locking side panels. The doors are 16GA steel construction, and include a fully perforated steel insert with 63% open pattern. There is also a grounding stud in the door. The price for a single door, FOB destination, is \$215.00. For a front and rear door, the price is \$430.00. Doors add an additional 1 inch each to the overall depth of the cabinet.

The part number for solid steel, locking, side panels is PSP7336QR-L. The side panels are key locked (keyed the same as the doors) and have a quick release. The panels latch at the top and pivot from the bottom for easy removal. They are manufactured from 18GA steel. There is a grounding stud in each side panel. The price for two side panels, FOB destination, is \$220.00.

A complete cabinet as described in the bid document is comprised of the frame, two perforated doors, and two solid side panels, as individually described above. The price for a complete cabinet is \$1330.00, delivered.

The first optional item requested on the bid was the lacing/cable manager. The part number for this component is PCMC73-V-2. It is a 42U cable management channel with Velcro retaining straps. These would typically mount in the rear corners of the cabinet, and are capable of securing a power strip or providing cable management. They are priced by the pair, FOB Destination, at \$125.00.

The second option was for a power strip. The part number is PS7015, which is a 70 inch vertical power strip with 11 NEMA 5-15R receptacles. The input and output requirements are both 15Amp/115V. The power strip is UL listed and includes a 15Amp circuit breaker and six foot long cord with a NEMA 5-15P plug. The price, FOB Destination, is \$120.00.

The third option was for a 28 inch deep sliding (roll-out) rack mount shelf. The standard Martin depth is 27 inches, so this is a minor deviation from the specification. The part number is SS1927. The price, FOB Destination, is \$125.00.

The fourth option was front and rear doors to be available in solid and perforated configurations. Keying options are available. As the perforated doors are quoted above, the optional equipment comprises the solid steel doors. The part number for the solid steel doors is PD7319. These doors have the same technical specifications as the perforated doors, except that they are made from a solid sheet of steel. The price per door, FOB Destination, is \$165.00.

The fifth option was for side panels to be available in solid and perforated configurations. As the solid side panels are quoted above, the optional equipment comprises the perforated side panels. The part number for the perforated side panels is PPSP7336QR-L. These side panels have the same technical specifications as the solid side panels, except they include a perforated steel insert, 63% open. The price for two perforated side panels, FOB Destination, is \$460.00.

The sixth option was for a top (roof) mounted fan tray. The part number for this option is PFTP1936-2105. This top is externally removable and includes two 105CFM fans with cords and plugs. The top panel can be removed from the cabinet without affecting cables entering the cabinet through the top of the frame. The price for the dual fan top panel, FOB Destination, is \$145.00. Note there are other top panel configurations with different sized fans, or with no fans, available on request.

The seventh option was for a vertically mounted grounding strap or bus bar. The part number is PBB73. This is a 42U copper bus bar, ¼ inch thick by ¾ inch wide. The bar is tapped and threaded with 24 holes, equally spaced, threaded 10/32. The price, FOB Destination, is \$160.00.

The eighth and final option requested was for anti-tip plates. The part number is PATP-19. The plate is made of 12GA steel and attaches to the cabinet base. The price, FOB Destination, is \$40.00

Some additional considerations. There are a variety of colors available on request. The standard colors are either black or off-white textured powder coat. We can also provide additional cable management options, PDU and power strip options, UPSs, environmental sensors, and other accessories.

Thanks for the opportunity to bid.

Jack Burlin

Product Manager

Issue Date: July 15, 2005



REQUEST FOR SEALED BID # BD80500S363

This is Not an Order

To: Potential Bidder:

Please submit bid on Computer Rack Contract

No substitutions or specification alterations allowed. Bid is for all or none.

Bid is for One Year Multiple Vendor Contract(s) for Computer Networking and Storage Racks. Awarded Contract(s) shall be available for use by all State of Iowa Agencies and Political Subdivisions within Iowa. No vendor is guaranteed any certain volume of sales. Proposed units must have all the following features and must meet all the following specifications:

The following specifications for computer, networking, and storage cabinets are designed to facilitate the state's needs to efficiently handle equipment mounting, cabling, and grounding within a secure cabinet environment. The cabinet shall be the make and model <u>or an equal</u> to the WrightLine Vantage line of cabinets (www.wrightline.com). Part numbers for the WrightLine Vantage frame and options are specified. Specifications for these cabinets include, but are not limited to, the following requirements and features:

Base Equipment and Features Specifications (WrightLine Vantage **or equal** – Frame - # V4742736; Rack mount rails - 19 inch - # V574RR1):

- 1 The cabinet shall be designed to provide a secure, managed environment for computer, networking and storage equipment;
- 2 The cabinet shall conform to the Electronics Industry Association (EIA) 310-D standard for cabinets, racks, panels and associated equipment;
- 3 The cabinet shall be designed with four vertical posts that provide the structural integrity of the cabinet. Rack-mount equipment should be able to be installed on four separate vertical mounting rails;
- 4 All plastic components shall comply with Underwriters Laboratory Specification 94 with V-1 rating or better;
- 5 There shall be no burrs along any surface and any welded joints should be ground and free from weld spatter;
- 6 The cabinet design shall be flexible to allow users to customize the cabinet by ordering major components without having to order a prepackaged design;
- 7 Provisions shall be provided to tie all major cabinet components into the system ground;
- 8 All electrical options or accessories shall be UL/CSA recognized or approved;
- 9 Cabinet designs must meet or exceed all third-party rack requirements for the major server manufacturers;
- 10 Equipment mounting height shall support up to 42U (42 "rack units" within the rack, and a rack unit (or 1U) is defined as 1.75 inches/44.45mm)
- 11 Equipment mounting width shall support 19-inch rack-mount equipment;
- 12 The cabinet shall support a static load (weight, evenly distributed, supported by leveling feet) of at least 1,500lbs (681kg);
- 13 The frame shall be constructed with a minimum of 14-gauge steel. Aluminum frames shall not be allowed. The frame design shall allow for the field attachment of front doors, rear doors, side panels, roofs, and expansion frames without disrupting rack-mount equipment or cables. The frame design shall ship with leveling feet preinstalled;

- 14 The vertical mounting rails shall have infinite depth adjustment in the field. The vertical mounting rails shall be constructed of 14 gauge steel and have square equipment mounting holes or threaded holes. The vertical mounting rails shall have each U space identified by a line at the top and the bottom of each U. The number U space shall be marked on the middle hole of each U. Each U consists of three holes and measures 1.75-inches (44.45mm) high;
- 15 The front door shall be designed with quick-release hinges allowing for easy detachment in the field by one person without the use of tools. The front door shall be designed to be reversible in the field so that it opens from either side. The front door shall be perforated to comply with major server manufacturers' requirements for proper airflow. At a minimum, the perforation pattern shall be 61 percent open;
- 16 The rear door shall be designed with quick-release hinges allowing for quick and easy detachment in the field by one person without the use of tools. The rear door shall perforated, like the front door, and be designed to be reversible in the field so so that it opens from either side;
- 17 Side panels shall be removable in the field by one person without the use of tools. The side panels shall not preclude cable routing along the side of installed rack mount equipment;
- 18 The cabinet shall provide provisions to mount a roof mounted fan tray, and the fan tray shall not encroach on the mounting space. The roof shall be modular in design so style can be changed out without removing cables from grommet panels;
- 19 The cabinet shall ship with four adjustable leveling feet to help provide a stable base while installed on an uneven floor surface and to prevent rolling. The cabinet shall have provisions for adding an anti-tip foot at the factory or in the field;
- 20 Baying or ganging of cabinets shall be accomplished without disturbing any rack mounted equipment or cables. The baying method shall be able to be accomplished quickly by one person using minimal hardware without having to move the cabinet in any specialmanner. The baying hardware should be provided with every cabinet and not require the purchase of separate kits. The baying or unbaying of any cabinet shall be possible only when access to the cabinet has been granted;
- 21 The cabinet design shall allow a clearance for wiring access of at least three (3) inches between the front vertical mounting rails and the inside surface of the front door. The cabinet design shall allow a clearance for wiring access of at least one and and one-half (1.5) inches between the side panel and the vertical mounting rails;
- 22 The recommended routing of cables or power cords, or the mounting of vertical power strips in the rear of the cabinet shall not block the front-to-rear airflow required by servers.

The undersigned bids the following and agrees to all terms and conditions stated herein.	Price EA in US Dollars	Delivery Time Business Days ARO
Unit as specified above. Attach detailed product data sheet. State Make: MARTIN Model P73/936-44 Length 4/ Width 24 Height 79.50	SEE ATTHEHED	21

Optional Equipment Specifications:

Attacl	n complete Product Data Sheets on each:	Price EA in US Dollars
a)	Steel lacing or mounting straps available at the rear of both sides of the cabinet	
	to support power strips on both sides and/or cable management (Equal to Wrightline # V3LACN74);	SEE ATTACHE
b)	Power strips mountable vertically at the back of the cabinet and containing at least 10 outlets, 15A, 125V (Equal to Wrightline # LPS6015);	()
c)	A19-inch rack-mountable roll-out shelf, 28-inches deep, with mounting hardware (# Equal to Wrightline V3RS1928);	(1

	Front and rear doors in solid and perforated options. Front door and rear doors shall have a handle and lock using a universal key that unlocks the side panel lock. Options for different keyed locks with master override shall be available. (Perforated - Equal to Wrightline # V3P7427L);	Sero ATTACHEN
e)	Side panels in solid and perforated options (Equal to #V4PP7436);	\ \
	A roof-mounted fan tray (# Equal to Wrightline V4T27364);	11
g)	A grounding strap or bus bar mountable vertically at the back of the cabinet (Equal to Wrightline # V3CBB74);	ţŧ
	A stabilizing or anti-tip plate that is mountable at the bottom exterior of either side of the cabinet (Equal to Wrightline # V3ATFT00);	i j

Prices must be **FOB Destination anywhere within lowa**, all shipping and handling costs included, **Net 60 days payment terms**. All Product (as priced above) to be new and carry the full USA OEM Warranty. Provide complete product data sheets with bid for all proposed products itemizing all specifications as proposed, plus complete warranty and support details. Contracted Prices shall remain firm for at least two years. Contract(s) will be awarded based on price of units that meet above specifications. The State of Iowa intends to award one contract for each make / model offered that meets the above specifications and only to the one vendor proposing the lowest price on that make / model. Contract(s) may be mutually renewable on an annual basis, not to exceed six years in total contract term, depending upon such factors as satisfactory vendor / product performance, technical support and price escalation history.

The State does not pay tax. Standard State of Iowa Terms and Conditions per attached will apply.

Bid to be valid for 90 days. No part of bid may be marked confidential. Submit signed Federal W9 form with bid.

All questions regarding this bid must be submitted before August 4, 2005 via Email only to: ashley.super@iowa.gov Updates to this bid will be posted at: http://eservices.iowa.gov/rfp/ or upon request.

YOUR SIGNATURE (required):	Date: 8/12/5
Name (printed): ACK BURLIN	Phone #: <u>\$/7-649-/7</u> 8
Company Name: [NFURMATION SUPPORT CONCEPTS, NR.	Fax #: <u>817-649-178</u> 8
Mailing Address: 714 N WATSON ROAD, SUITE 302	FEIN# 75 215 1966
City State Zip: ARLINGTON, TX 76011	
Email Address: Jack burlen @ wedfw. com	

Bid must be received in a SEALED ENVELOPE no later than 3:00 PM CT on August 15, 2005 Sealed Envelope must be marked with Bid # and Due Date.

Submit bid only to:

Ashley Super, PAIII lowa Department of Aministrative Services, GSE Hoover State Office Bldg, Level A Des Moines, IA 50319

 \triangle

Fax: 515-242-5974 Ph: 515-281-7073

Email: ashley.super@iowa.gov



Solution 2000 Series

Top mount exhaust fan


 Ten-inch 120V AC; 535 CFM fan with fingerguards and power cord

Lift off hinges

Vented door

Horizontal stiffener provides support for mounting rails

Three sets of fully adjustable mounting rails adjusting front to rear



Heavy-duty welded extruded aluminum frame

 1000lb. rating available in 24", 30" & 36" depths supporting larger equipment applications

Sliding shelves

Power strip with 6' cord and circuit breaker

Fixed vented shelves

Bottom panel


Leveler feet

Heavy-duty caster wheels


Accessory options are available on our three-day ship program

С	ABINET FR	AME ORDE	RING IN	FORMAT	ON	
		Cabinet Heig	ght			
	19" Width	42"	70"	77"	84"	
	24"	421924	701924	 -	<u>—</u>	
	30"	421930	701930	771930	841930	
	36"	_		771936	841936	
epth	23" Width*	42"	70"	77"	84"	
De	24"		702324	_		
et	30"		702330	772330	842330	
Cabinet	36"	_		772336	842336	
U	24" Width	42"	70"	77"	84"	
	24"		_			
	30"		702430	772430	842430	
	36"		_	772436	842436	

^{*}Note: 23" widths use 24" frame with reducer rails to obtain the 23" mounting pattern



				1254.088
AME DIMENSIONS				
ght (inches)	42"	70"	77"	84"
Inside usable height	42.09"	70.09"	77.09"	84.09"
Outside height of frame only	46.33"	74.33"	81.33"	88.33*
Outside height of frame including base	47.93"	75.93"	82.93"	89.93"
Outside height of frame including base & casters	49.58"	77.58"	84.58"	91.58"
lth (inches)	19"	23"	24"	
Inside usable width of frame	19.09"	24.09"	24.09"	
Outside width of frame only	23.33"	28.33"	28.33"	
ith (inches)	24"	30"	36"	
Inside depth of frame	24.00"	30.00"	36.00"	
Outside depth of frame only	26.42"	32.42"	38.42"	
Outside depth with front & rear doors	28.59"	34.59"	40.59"	
	Inside usable height Outside height of frame only Outside height of frame including base Outside height of frame including base Utside height of frame including base & casters Ith (Inches) Inside usable width of frame Outside width of frame only oth (Inches) Inside depth of frame	Inside usable height Outside height of frame only Outside height of frame including base Outside height of frame including base Outside height of frame including base & casters Ith (inches) I 9" Inside usable width of frame Outside width of frame only Outside width of frame only 23.33" Inside depth of frame Outside depth of frame Outside depth of frame Outside depth of frame	Inside usable height 42" 70" Outside height of frame only 48.33" 74.33" Outside height of frame including base 47.93" 75.93" Outside height of frame including base 49.58" 77.58" Ith (inches) 19" 23" Inside usable width of frame 19.09" 24.09" Outside width of frame only 23.33" 28.33" Ith (inches) 24" 30" Inside depth of frame 24.00" 30.00" Outside depth of frame only 26.42" 32.42"	Inside usable height 42" 70" 77" Outside height of frame only 46.33" 74.33" 81.33" Outside height of frame including base 47.93" 75.93" 82.93" Outside height of frame including base & casters 49.58" 77.58" 84.58" Ith (inches) 19" 23" 24" Inside usable width of frame 19.09" 24.09" 24.09" Outside width of frame only 23.33" 28.33" 28.33" Inside depth of frame 24.00" 30.00" 36.00" Outside depth of frame only 26.42" 32.42" 38.42"



CABINET OPTI	ONS						
Side Panels			Depth	Height 42"	70"	77"	84"
Solid Sides		Solid Sides	24"	SP4224	SP7024		
Externally removable			30"	SP4230	SP7030	SP7730	SP8430
side panels			36"	_		SP7736	SP8436

Custom hole patterns or venting upon request Side Panel Features

- Shorter side panels may also be used for ventilation or cable exit
- Optional internally removable side panels (custom option)
- 18 gauge steel construction

CABINET OPTIONS							
Doors			Width	Height 42"	70"	77"	84"
Lexan® Doors		Lexan® Doors	19"	LD4219	LD7019	LD7719	LD8419
Extruded aluminum frame			24"	- 	LD7024	LD7724	LD8424
• Smoke-gray Lexan®		Vented Doors	19"	VD4219	VD7019	VD7719	VD8419
Heavy-duty lift off hinges			24"		VD7024	VD7724	VD8424

Vented Doors

- · Changeable airflow patterns
- · Configure airflow easily

Solid doors (custom option)

Door Features

- All doors include standard black swing handle latches
- Swing handle locks are keyed alike; can be keyed different upon request
- Lift off hinges allow for easy removal during equipment installation
- Doors are field reversible creating left or right hand swing
- 16 gauge steel construction on vented and solid doors

Shelves		Width	Depth 15"	21"	27"	33"
Fixed Shelves Choice of standard vented or custom solid shelves Supports 150 lb. load capacity	Vented Fixed Shelves	19"	FS1915	FS1921	FS1927	FS1933
		23"	FS2315	FS2321	FS2327	FS2333
		24"	FS2415	FS2421	FS2427	FS2433
	Vented Sliding Shelves	19"	SS1915	SS1921	SS1927	551933
Sliding Shelves		23"	SS2315	SS2321	SS2327	SS2333
Includes full extension roll-out		24"	SS2415	SS2421	552427	SS2433

- slide brackets
- Choice of standard vented or custom solid shelves
- · Supports 100 lb. load capacity

Solid fixed and sliding shelves indicate SD after code

Shelf Features

- Shelves of different depths may be installed in the same cabinet
- All shelves attach to two sets of adjustable mounting rails
- Each sliding shelf comes with its own cable management arm
- Spacing behind all shelves can be used for cable management, power strips, and ventilation
- 14 gauge steel construction

Top Panels		Depth	Width 19" 24"
Fan Top	Fan Top	24"	FT1924 —
• Includes ten-inch 120V AC;	5	30"	FT1930 FT2430
535 CFM fan		36"	FT1936 FT2436
 If no fan is required, fan opening may be used for cable exit 			Note: if no fan is required with fan top panel, specify NF after code
Externally removable	Perforated Top	24"	PT1924 —
Perforated Top		30"	PT1930 PT2430
Provides added ventilation		36"	PT1936 PT2436
• 51% open area	Solid Top	24"	ST1924 —
Externally removable	44. 44. 44. 44.	30"	ST1930 ST2430
Solid Top		36"	ST1936 ST2436

Solid Top

· Externally removable

Top Panel Features

- · Fan options when forced air cooling is required
- Internally removable panel (custom option)
- 16 gauge steel construction

Bottom Panels			Depth	Width 19" 24"
Perforated Bottom Panel		Perforated Bottom Panel	24"	PB1924 —
 Protective screened ventilation system 35% open area Solid Bottom Panel Equipment mountable surface 			30"	PB1930 PB2430
			36"	PB1936 PB2436
		Solid Bottom Panel	24"	SB1924 —
			30"	SB1930 SB2430
			36"	SB1936 SB2436

· Modified panel allowing for cable exit (custom option)

Bottom Panel Features

- Encloses and secures bottom of cabinet
- 18 gauge steel construction

ACCESSORIES

Angle Brackets

 Heavy-duty 12 gauge steel horizontal brackets support rack mounted components weighing up to 200 lbs.

To order specify:

	Rail Spac	ing			
et		18"	24"	30"	36"
ac A	15"	AB15			
Br	21"	AB21	AB21		
買う	27"		AB27	AB27	
Ac	33"			AB33	AB33

Twin Tower Sliding Shelves

- Rack mounted twin tower sliding shelves. Two independent sliding trays each capable of supporting 100 lbs. providing full access to equipment.
- Cable management arms are standard on each sliding tray.
- Mounting slots are provided for securing towers to each tray.

To order specify: TTS-19 (19" width)

TTS-24 (24" width)

Retractable Anti-Tip Stabilizer with Adjustable Leveling Pads

 Enclosure is protected from tipping when slide mounted components are extended beyond the front of the cabinet.

To order specify: ATS

Top Mount Exhaust Fan

• Ten-inch 120V AC; 535 CFM fan with fingerguards and power cord. To order specify: F-535

Panel Mount Exhaust Fan

- Two four inch 105 CFM; 120V panel mounted fans with finger guards and power cord.
- Exhaust air through vent pattern in the rear door 210 total CFM.
 To order specify: F-210

Power Strip Vertical Mount

 Supplies power to internal components when one lead-in cable is desired. UL listed: 15 AMP or 20 AMP 120V AC with 6' cord and circuit breaker.

To order specify:

PS 4215	120V AC	15 AMP	42"	9 outlets
PS 7015	120V AC	15 AMP	70"	11 outlets
PS 7020	120V AC	20 AMP	70"	11 outlets

Power Strip Rack Mount

 Supplies power to internal components when one lead-in cable is required. UL listed; 15 AMP 120V AC 6 outlets with 15-foot cord and circuit breaker.

Fits on all standard 19" cabinets.

To order specify: PS-19

Joining Kit

• Designed to connect cabinet frames for multi-bay configuration. To order specify: JK (Internal Frame Height)



(Refer to Frame Dimensions)

Lock Down Kit

- Holds equipment securely to shelves
- Quick release locks
 To order specify: LDK

Cable Management

- · Mounts horizontally or vertically in cabinets
- Available in multiple sizes
 To order specify: CM length

Casters

 Attached to the frame base, casters offer ease of mobility. Provided in sets of four, these full swiveling casters have a 3" diameter wheel and have the capacity to hold 1200 lbs. per set.

To order specify: CA-4

SAMPLING OF CUSTOM OPTIONS

- · Heavy-duty base unit
- Modified cable access panel available in increments of 1.75" (1-U)
- · Mounting rails designed to mount Compag equipment
- Reducer rails reduce 24" rail spacing pattern to either 23" or 19" pattern
- Reducer brackets
- Two and four 105 CFM fan configurations for fan tops
- Internally removable side and top panels



